## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (currently amended) A method for presenting an alphanumeric keyboard with an electronic device comprising at least a touch screen and a touch-sensitive cover, the touch-sensitive cover surrounding the touch screen, wherein the method comprises the steps of:

dividing the alphanumeric keyboard into two or more at least first and second parts;

<u>electronically displaying presenting one the first part of the alphanumeric</u> keyboard on the touch screen of the electronic device; and

placing the other part(s) second part of the alphanumeric keyboard on the touch sensitive cover of the electronic device outside the touch screen, the alphanumeric keyboard being presented without significant borders between the first and second parts.

- 2. (currently amended) The method according to claim 1, wherein <u>further</u> comprising the step of changing a layout of the <u>first part of the</u> keyboard set <u>displayed</u> on the touch screen.
- 3. (currently amended) The method according to claim 1, wherein <u>further</u> <u>comprising the step of</u> enabling said touch screen and said touch-sensitive cover features with an at least partially transparent touch-sensitive panel.

- 4. (currently amended) The method according to claim 1, wherein further comprising the step of providing haptic feedback with the electronic device.
- 5. (currently amended) The method according to claim 1, wherein some or all of said other parts(s) at least one key of the second part of the alphanumeric keyboard comprise comprises a mechanical key(s) key.
- 6. (currently amended) An electronic device for presenting an alphanumeric keyboard, the electronic device comprising:

a touch screen (TS) having a touch screen area;

a touch-sensitive cover (HS) surrounding the touch screen area;

software components operating the electronic device;

means for dividing (DM) the alphanumeric keyboard into two or more at least first and second parts;

means for presenting electronically displaying (PM) one the first part of the alphanumeric keyboard on the touch screen (TS); and wherein the second part of the one or more alphanumeric keyboard parts is arranged on the touch-sensitive cover (HS) of the electronic device outside the touch screen (TS) area, wherein the alphanumeric keyboard is presented without significant borders between the first and second parts.

- 7. (currently amended) The electronic device according to claim 6, wherein the electronic device comprises means for changing (CM) <u>a layout of</u> the <u>first part of</u> keyboard set displayed on the touch screen (TS).
- 8. (original) The electronic device according to claim 6, wherein the electronic device comprises an at least partially transparent touch-sensitive panel enabling said touch screen and said touch-sensitive cover features.
- 9. (original) The electronic device according to claim 6, wherein the electronic device comprises means for generating (HM) haptic feedback.
- 10. (currently amended) The electronic device according to claim 6, wherein some or all of said other parts(s) at least one key of the second part of the alphanumeric keyboard emprise comprises a mechanical key(s) key.